



## **XH10**

## **SEGMENTED RIM**

## **ASPHALT & ABRASIVE MATERIALS**

**300** Trade



Cat® 300 Trade Asphalt & Abrasive Materials segmented diamond blades have an all new bond formulation designed for extensive use on a wide range of products & offers unrivalled performance in comparison to other products. They offer a good cutting performance, life & speed of cut. The blades can be used for wet or dry cutting. The perfect choice for the small to medium size jobs & those who want good life & speed of cut.

## **ATTRIBUTES**

- 2X LIFE 2X SPEED
- HIGH QUALITY DIAMOND GRIT
- HIGH DENSITY UNDERCUT PROTECTION SEGMENTS
- LATEST BOND TECHNOLOGY
- ENHANCED PERFORMANCE & LIFE
- FULLY HARDENED & HEAT TREATED STEEL CORE
- GOOD SPAN OF APPLICATION & CUT
- AGGRESSIVE FAST CUT
- KEYHOLE GULLET.



**DRY CUTTING** 



WET CUTTING





ABRASIVE BLOCKS











ASPHALT, CONCRETE BLOCK UNDER 15N/MM², THERMAL BLOCK 7 N/MM², GREEN CONCRETE UNIVERSAL, GREEN CONCRETE WITH VERY HARD AGGREGATE, GREEN CONCRETE WITH MEDIUM HARD AGGREGATE, SOFT FACING BRICKS.



\* \*

ASPHALT OVER CONCRETE.

PRODUCT		DIAMETER		SEGMENT HEIGHT		SEGMENT WIDTH		MAIN ARBOR - BORE		REDUCING RINGS INCLUDED		MACHINES USED
PART NO	CODE NO	ММ	INCH	MM	INCH	MM	INCH	ММ	INCH	ММ	INCH	
DA32309U	XH10300	300	12	10	0.394	3.0	0.118	25.4+P	1+P	25.4 - 20	1 - 20mm	
DA32310U	XH10350	350	14	10	0.394	3.0	0.118	25.4+P	1+P	25.4 - 20	1 - 20mm	


























©2023 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" & Cat "Modern Hex" trade dress as well as corporate & product identity used herein, are trademarks of Caterpillar & may not be used without permission. C6 DIAMOND LLC, a licensee of Caterpillar Inc.

SILICA DUST: Workers who are exposed to respirable crystalline silica dust are at increased risk of developing serious silica-related diseases. It is necessary to use saws & other machinery that is equipped with an integrated water delivery system that continuously feeds water to the blade. Operate & maintain all tools in accordance with manufacturer's instructions to minimize dust emissions & always wear the correct ventilator. For more info visit: www.osha.gov/sites/default/files/publications/OSHA3681.pdf

