



# MXCR30

## CONTINUOUS RIM

### TILE - HARD DENSE MATERIALS

200 Trade


Cat® 200 Trade continuous rim blades are a precise cutting diamond blade designed for hard dense materials & tiles. Good quality diamond grit & high diamond concentration ensures good blade life whilst offering a fast, smooth, chip free cut on the correct applications. The finish of cut & blade life increases with water as a coolant whilst cutting harder materials. The perfect choice for the enthusiast / occasional user who wants a great life, accuracy & speed of cut.

#### ATTRIBUTES

- 1.5X LIFE - 1.5X SPEED
- HIGH QUALITY FINE DIAMOND GRIT
- LATEST BOND TECHNOLOGY
- ENHANCED PERFORMANCE & LIFE
- FULLY HARDENED & HEAT TREATED STEEL CORE
- FAST, PRECISE & CHIP FREE FINISH
- CONTINUOUS RIM DESIGN.

#### APPLICATION

★★★★	CERAMIC TILES, TERRACOTTA, HARD SLATE, MARBLE.
★★★	ENGINEERED ARTIFICIAL STONE, GRANITE, QUARTZITE, CLAY ROOF TILES, QUARRY TILES, TRAVERTINE.
★★	PORCELAIN, PORCELAIN GRADE 5, VITRIFIED CLAY PIPES, PORPHYRY, BASALT, SOFT SLATE, LAVA ROCK, PUMICE.
★	DENSE CLAY PIPE, CLAY PAVERS, VITRIFIED CLAY PIPES.



WET CUTTING

PRODUCT		DIAMETER		SEGMENT HEIGHT		SEGMENT WIDTH		MAIN ARBOR - BORE		REDUCING RINGS INCLUDED		MACHINES USED
PART NO	CODE NO	MM	INCH	MM	INCH	MM	INCH	MM	INCH	MM	INCH	
DA30500	MXCR3076	76	3	7	0.275	1.7	0.067	10	3/8	N/A	N/A	
DA30501	MXCR3085	85	3 1/3	7	0.275	1.7	0.067	15	19/32	N/A	N/A	
DA30502	MXCR30105	105	4	8	0.315	1.8	0.071	22.23	7/8	22.23 - 20, 22.23 - 15.88	7/8 - 20mm, 7/8 - 5/8	
DA30503	MXCR30110	110	4 1/3	8	0.315	1.8	0.071	22.23	7/8	22.23 - 20, 22.23 - 15.88	7/8 - 20mm, 7/8 - 5/8	
DA30504	MXCR30115	115	4 1/2	8	0.315	2	0.079	22.23	7/8	22.23 - 20, 22.23 - 15.88	7/8 - 20mm, 7/8 - 5/8	
DA30505	MXCR30125	125	5	8	0.315	2	0.079	22.23	7/8	22.23 - 20, 22.23 - 15.88	7/8 - 20mm, 7/8 - 5/8	
DA30506	MXCR30150	150	6	8	0.315	2	0.079	22.23	7/8	22.23 - 20, 22.23 - 15.88	7/8 - 20mm, 7/8 - 5/8	
DA30507	MXCR30180	180	7	8	0.315	2.2	0.087	25.4	1	25.4 - 22.23, 25.4-20, 25.4- 15.88	1 - 7/8, 1 - 20mm, 1 - 5/8	
DA30508	MXCR30200	200	8	8	0.315	2.2	0.087	25.4	1	25.4 - 22.23, 25.4-20, 25.4- 15.88	1 - 7/8, 1 - 20mm, 1 - 5/8	
DA30509	MXCR30230	230	9	8	0.315	2.4	0.094	25.4	1	25.4 - 22.23, 25.4-20, 25.4- 15.88	1 - 7/8, 1 - 20mm, 1 - 5/8	
DA30510	MXCR30250	250	10	10	0.394	2.6	0.102	25.4	1	25.4 - 22.23, 25.4-20, 25.4- 15.88	1 - 7/8, 1 - 20mm, 1 - 5/8	
DA30511	MXCR30300	300	12	10	0.394	3	0.118	25.4	1	25.4 - 22.23, 25.4-20, 25.4- 15.88	1 - 7/8, 1 - 20mm, 1 - 5/8	
DA30512	MXCR30350	350	14	10	0.394	3.2	0.126	25.4	1	25.4 - 22.23, 25.4-20, 25.4- 15.88	1 - 7/8, 1 - 20mm, 1 - 5/8	



**WARNING:** This product can expose you to "Nickel" which is known to the State of California to cause cancer & birth defects.  
**ADVERTENCIA:** Este producto puede exponerlo a un "Níquel" que el Estado de California sabe que causa cáncer y defectos de nacimiento.  
**AVERTISSEMENT:** ce produit peut vous exposer à un "Nickel" connu de l'État de Californie pour provoquer le cancer et des malformations congénitales. [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



©2023 Caterpillar. All Rights Reserved. CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow", the "Power Edge" & Cat "Modern Hex" trade dress as well as corporate & product identity used herein, are trademarks of Caterpillar & may not be used without permission. C6 DIAMOND LLC, a licensee of Caterpillar Inc.

**SILICA DUST:** Workers who are exposed to respirable crystalline silica dust are at increased risk of developing serious silica-related diseases. It is necessary to use saws & other machinery that is equipped with an integrated water delivery system that continuously feeds water to the blade. Operate & maintain all tools in accordance with manufacturer's instructions to minimize dust emissions & always wear the correct ventilator. For more info visit: [www.osha.gov/sites/default/files/publications/OSHA3681.pdf](http://www.osha.gov/sites/default/files/publications/OSHA3681.pdf)